

Glisten Auto - Machine Glass Wash

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Glisten Auto - Machine Glass Wash

Chemical name

Product-type Mixture

Product code 61420

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - PC35: Washing and cleaning products (including solvent based products).

1.3 - Details of the supplier of the safety data sheet

Super Formula

Millers Close

NR21 8NW Fakenham United Kingdom

Telephone : +44 1328 851407

Website <https://superformula.co.uk/>

+4423128 851407 sales@superformula.com

1.4 - Emergency telephone number

01328 851407 (Office Hours Only)

United Kingdom: NHS Direct: 111

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Corr. 1	Skin corrosion, Category 1
Eye Dam. 1	Serious eye damage, Category 1

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: SODIUM METASILICATE PENTAHYDRATE (CAS No.: 10213-79-3)

Signal word : Danger

Hazard pictograms



Hazard statements

H314	Causes severe skin burns and eye damage
------	-----------------------------------------

Precautionary statements

P260	Do not breathe fume/gas/mist/vapours.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.



Glisten Auto - Machine Glass Wash

P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/a doctor.
P321	Specific treatment (see information on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with local/regional/national regulation.

EUH-phrases : None

2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
trisodium nitrilotriacetate	CAS No. : 5064-31-3 Index No. : 607-620-00-6 EC No. : 225-768-6	< 5	Acute Tox. 4 Oral - H302 Carc. 2 - H351 Eye Irrit. 2 - H319	Carc. 2 - H351 : 5>=%<=100
SODIUM METASILICATE PENTAHYDRATE	CAS No. : 10213-79-3 Index No. : EC No. : 229-912-9	< 5	Eye Dam. 1 - H318 Skin Corr. 1B - H314 STOT SE 3 (H335) - H335	Not applicable
sodium xylenesulphonate	CAS No. : 1300-72-7 Index No. : EC No. : 215-090-9 REACH No. : 012119513350-56-XXXX	< 5	Eye Irrit. 2 - H319	Not applicable
Amines, C12-14 -alkyldimethyl , N-Oxides	CAS No. : 308062-28-4 Index No. : EC No. : 931-292-6 REACH No. : 2119490061-47-XX	< 5	Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 Eye Dam. 1 - H318 Skin Irrit. 2 - H315	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation - Provide fresh air.
- When in doubt or if symptoms are observed, get medical advice.

Following skin contact - Wash immediately with: Water
- When in doubt or if symptoms are observed, get medical advice.



Glisten Auto - Machine Glass Wash

After eye contact - In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion - Rinse mouth thoroughly with water.
- Do NOT induce vomiting.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - There may be mild irritation of the chest

Symptoms and effects - Following skin contact - May cause skin irritation.

Symptoms and effects - After eye contact - Serious eye damage/eye irritation

Symptoms and effects - After ingestion - There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

4.3 - Indication of any immediate medical attention and special treatment needed

- Eye bathing equipment should be available on site.
- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media - ABC-powder
- Carbon dioxide (CO₂)
- Foam
- Extinguishing powder

Unsuitable extinguishing media - Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - No information available.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.

For emergency responders - No information available.

6.2 - Environmental precautions

- Contain the spillage using bunding.
- Do not allow large spills to enter into surface water or drains.
- Ensure waste is collected and contained.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment - Clear spills immediately.

Glisten Auto - Machine Glass Wash

Methods and material for cleaning up - Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
- Wash with plenty of water.

Inappropriate techniques - No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation - Avoid: Eye contact
- It is recommended to design all work processes always so that the following is excluded: Eye contact

Advices on general occupational hygiene - Wash contaminated clothing prior to re-use.
- Wash hands before breaks and after work.
- When using do not eat, drink, smoke, sniff.
- Work in well-ventilated zones or use proper respiratory protection.

7.2 - Conditions for safe storage, including any incompatibilities

- Ensure adequate ventilation of the storage area.
- Keep container tightly closed in a cool, well-ventilated place.
- Only use containers specifically approved for the substance/product.

7.3 - Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

8.2 - Exposure controls

Appropriate engineering controls - Ensure there is sufficient ventilation

Individual protection measures, such as personal protective equipment - Suitable eye protection: Eye glasses with side protection



- Protective Clothing
- Protective gloves



SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties



Glisten Auto - Machine Glass Wash

<u>Physical state</u>	<u>Liquid</u>	<u>Appearance</u>	<u>Liquid</u>
<u>Colour</u>	colourless	<u>Odour</u>	characteristic
Odour threshold	No data available		
pH	13 < V < 14		
Melting point	No data available		
Freezing point	No data available		
Boiling point	No data available		
Flash point	No data available		
Evaporation rate	No data available		
flammability	No data available		
Lower explosion limit	No data available		
Upper explosion limit	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Relative density	No data available		
Density	No data available		
Solubility (Water)	Soluble in water.		
Solubility (Ethanol)	No data available		
Solubility (Acetone)	No data available		
Solubility (Organic solvents)	No data available		
Log KOC	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Kinematic viscosity	No data available		
Dynamic viscosity	Non-viscous		

Particle characteristics

Particle size	No data available
---------------	-------------------

9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Avoid direct sunlight.



Glisten Auto - Machine Glass Wash

- Avoid excessive heat for prolonged periods of time.

10.5 - Incompatible materials

- Strong Acids and Oxidising Agents

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Skin corrosion/irritation - Skin corrosion, Category 1 - Causes severe skin burns and eye damage

Serious eye damage/eye irritation - Serious eye damage, Category 1

- Risk of serious damage to eyes.
- Causes serious eye irritation.

Respiratory or skin sensitisation - Not classified

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - Not classified

STOT-repeated exposure - Not classified

Aspiration hazard - Not classified

11.2 - Information on other hazards

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available



Glisten Auto - Machine Glass Wash

ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

12.7 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

<u>Waste treatment methods</u>	- Dispose of waste according to applicable legislation.
<u>Sewage disposal</u>	- No information available.
<u>Special precautions for waste treatment</u>	- No information available.
<u>Community or national or regional provisions</u>	- No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

Not applicable

14.2 - UN proper shipping name

14.3 - Transport hazard class(es)



Glisten Auto - Machine Glass Wash

14.4 - Packing group

14.5 - Environmental hazards

14.6 - Special precautions for user

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content No data available

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
1	17/08/2022		

Texts of the regulatory sentences

Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Carc. 2	Carcinogenicity - Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation - Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer - state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Skin Corr. 1	Skin corrosion, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Irritation, Category 2



Glisten Auto - Machine Glass Wash

STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)
---------------------	------------------------------------------

*** **